

Warren Unilube

A Quality Name Behind Quality Products

1-800-428-9284 • www.warrenunilube.com

FULL SYNTHETIC MOTOR OILS

LubriGold® Full Synthetic Motor Oils are superior quality, high detergent automotive engine oils formulated to provide maximum protection against wear, rust, corrosion, oxidative thickening, acid formation, sludge and varnish deposits.

Product Description	6/32 oz	55 gal drum	Bulk
LubriGold® 0W-20	402001	405019	405000
LubriGold® 5W-20	402056	405026	402000
LubriGold® 5W-30 *High Performance Full Synthetic	402100	405033	405100
LubriGold® 5W-40	402209	405057	20200
LubriGold® 10W-30	402155	405040	402200

LubriGold® 10W-30 402155 405040 402200

*LubriGold® 5W-30 High Performance Full Synthetic Motor Oil is formulated for high horse power engines and exceeds the requirements of GM dexos 1™, ACEA A5-02, GM 6094M, GM 4718M, Chrysler MS 6395, Acura HTO-06 and Ford WSS-M2C020-A.



PREMIUM MOTOR OILS

Coastal® Premium Motor Oils are superior quality, high-detergent automotive engine oils specially formulated to meet the stringent requirements of today's engines.

Product Description	12/1 qt	6/1 gal	1/5 gal	55 gal drum	Bulk
Coastal® Premium HD 30	19301	:#:	-	19312	19300
Coastal® Premium HD 40	19401	t#F	-	19412	1 06000
Coastal® Premium 5W-20 GF-5/SN	10401		-	102012	102100
Coastal® Premium 5W-30 GF-5/SN	10601	-	-	105112	105100
Coastal® Premium 10W-30 GF-5/SN	19101	19105	-	102212	102200
Coastal® Premium 10W-40	19201	19205	19209	19212	103200

Coastal® Turbo Racing 20W-50 is specially engineered for today's high temperature, high rev, high performance engines.

١	Product Description	12/1 qt	55 gal drum	Bulk
2	Coastal® Premium HP 20W-50	10701	10712	102000

HIGH MILEAGE MOTOR OILS

Coastal® High Mileage Motor Oils are specially formulated to meet the requirements of high mileage vehicles with over 75,000 miles.

Product Description	12/1 qt	55 gal drum	Bulk
Coastal® HM 10W-30	28401	28412	28400
Coastal® HM 10W-40	28501	ļ-	28500



Warren Unilube, Inc.

An affiliate of Warren Oil Company, Inc. www.warrenunilube.com

HD FLEET MOTOR OILS

LubriguardTM 15W-40 CJ-4/SM Engine Oil – CJ-4 represents the highest level of engine protection and performance ever built into a new lubricant specification. It is formulated to provide improved wear protection, deposit and oil consumption control, soot-related viscosity control, prevention of viscosity loss from shearing, used oil low-temperature pumpability and protection from thermal and oxidative breakdown. It also contains a sophisticated additive system that is specifically designed to improve the protection of advanced emission control systems such as diesel particulate filters. It is suitable for use in almost all foreign and domestic diesel engines for both the latest 2007 emission compliant and older engines.

Product Description	12/1 qt	3/1 gal	1/5 gal	55 gal drum	Bulk
Lubriguard™ 15W-40 CJ-4/SM	702941	702958	702543	702545	11250

LubriguardTM Synthetic 5W-40 CJ-4/SM Engine Oil is fully formulated with synthetic base stocks. It provides improved fuel economy, compared to conventional SAE 15W-40 oils. It is formulated to provide improved wear protection, deposit and oil consumption control, soot-related viscosity control, prevention of viscosity loss from shearing, used oil low temperature pumpability and protection from thermal and oxidative breakdown. It also contains a sophisticated additive system that is specifically designed to improve the protection of advanced emission control systems such as diesel particulate filters. It is suitable for use in almost all foreign and domestic diesel engines for both the latest 2007 emission compliant and older engines.

Product Description	12/1 qt	3/1 gal	1/5 gal	55 gal drum	Bulk
Lubriguard™ Synthetic 5W-40 CJ-4/SM	-	703450	703474	703578	70415

(See Lubriguard™ Brochure for additional Fleet products)



TRANSMISSION FLUIDS

Coastal® DexMerc® Automatic Transmission Fluid is recommended for use in all 2005 and earlier GM automatic transmissions. Not for use where DEXRON®-VI is required. Recommended for 1981 to 1996 Ford automatic transmissions (except those requiring Type F, or Mercon® V). Meets or exceeds the performance requirements of Allison TES 389.

Product Description	12/1 qt	6/1 gal	1/5 gal	55 gal drum	Bulk
Coastal® DexMerc® ATF	19501	19505	19509	19512	19500

Coastal® DEXRON® VI ATF is recommended for all 2006 and later GM vehicles with Hydra-Matic® automatic transmissions. It is fully back serviceable for DEXRON®-III (H), (G), III, IIE and II applications. Meets GM specification GMN10060.

Product Description	12/1 qt	55 gal drum	Bulk
Coastal® DEXRON® VI ATF	19554	19552	19500

Coastal® Type A Automatic Transmission Fluid is recommended for use in all automatic transmissions and power steering units requiring Type A Fluid.

Product Description	12/1 qt	55 gal drum	
Coastal® Type A ATF	11501	11512	

Coastal® Type F Automatic Transmission Fluid is recommended for use in all automatic transmissions and power steering units requiring Ford Specification M2C33-F.

Product Description	12/1 qt
Coastal® Type F ATF	19601

Coastal® ATF+4® is formulated specifically for Chrysler transmissions to meet ATF +4® Material Specification MS-9602, ATF +3® Material Specification MS7176E, ATF +2®, and ATF.

Miles and the second se	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	The Administration of the Control of		
Product Description	12/1 qt	55 gal drum	Bulk	
Coastal® ATF+4	29201	29212	29200	

Coastal® Multi-Vehicle Synthetic Blend Automatic Transmission Fluid is a premium quality, semi-synthetic transmission fluid designed for use in automatic transmissions in most domestic and import passenger cars and light trucks. Approved for applications requiring MERCON® V. Not for use in transmissions requiring Ford Type F, DEXRON® VI, MERCON® SP, LV or in Continuously Variable Transmission (CVT) applications.

Product Description	12/1 qt	55 gal drum	Bulk
Coastal® MV SynBld ATF	28901	29112	28900



Coastal® ND Motor Oils are intended for use in non-critical gasoline engines operating under conditions which do not require a detergent motor oil. Not recommended for new or newly rebuilt engines or any late model engines equipped with hydraulic valve lifters.

Product Description	12/1 qt	6/1 gal	1/5 gal
Coastal® ND 30W	19701	-	19709
Coastal® ND 40W	11401		11409
Coastal® ND 50W	12001	12005	12009



TWO-CYCLE OILS

Coastal® 2-Cycle Engine Oil TC-W3 is recommended for use in 2-Cycle engines: outboard marine engines, motorcycles, snowmobiles, ATV's, lawn mowers, and chainsaws.

Product Description	24/2.6 oz	24/3.2 oz	24/6.4 oz	24/12.8 oz
Coastal® 2-Stroke 50:1	30457	-	30484	-
Coastal® SYN Low Smoke 2-Cycle	30357	+	-	
Coastal® Low Smoke 2 Cycle	-	30387	30384	30303
Product Description	12/16 pt	12/1 qt	6/1 gal	55 gal Drum
Coastal® TC-W3 2 Cycle	30207	30201	30205	30212
Product Description	12/10 oz	50/14 oz		
Coastal® 80W 90 GL5 Outboard Gear Lube	12283	2	-	-
Coastal® Marine Grease	4	53013	-	-

(See Itasca® brochure for other Marine products).



CHAIN SAW BAR LUBRICANT

HYDRAULIC FLUIDS

Coastal® Economy AW 32 Hydraulic Jack Oil is blended with highly refined base oils and an additive package that provides excellent anti-wear protection and inhibits rusting and corrosion.

Product Description	12/1 qt	6/1 gal
Coastal® Economy AW 32 HYD & Jack Oil	21601	45005

Coastal® Premium AW Hydraulic Oils are recommended for industrial and mobile hydraulic system applications where a premium anti-wear hydraulic oil is required.

Product Description	6/1 gal	1/5 gal	55 gal drum	Bulk
Coastal® Economy AW 32 Hydraulic	45015	45009	45012	45000
Coastal® Economy AW 46 Hydraulic		45109	45112	45100
Coastal® Economy AW 68 Hydraulic		45209	45212	45200
Coastal® Premium AW 32		40009	40012	40000
Coastal® Premium AW 46		40109	40112	40100
Coastal® Premium AW 68	4	40209	40212	40200
Coastal® Premium MV AW Hydraulic		-	-	40500
Coastal® Premium AW 100	-	40309	40312	40300

Coastal® Economy R&O Hydraulic Oil is suitable for use in applications where a premium product (such as Coastal Premium R&O Oil) is not required.

Product Description	12/1 qt	6/1 gal	1/5 gal	55 gal drum	Bulk
Coastal® Economy P&O Hydraulic Oil		-	46009	-	46000

Coastal® Multitrac Tractor Hydraulic Fluid is designed to lubricate the transmission, differential and final drive gears and serve as a hydraulic medium, power steering fluid, brake and power take-off fluid in farm tractors.

Coastal® Multitrac Tractor Hydraulic Fluid is recommended as a replacement fluid for the following manufacturers where a hydraulic fluid is recommended: Allis Chalmers, Ford Tractor, International Harvester, Oliver, J.I. Case/David Brown, John Deere, Allison, Caterpillar, Deutz, White, and Massey Ferguson.

Coastal® 303 Tractor Fluid meets many requirements of a premium tractor hydraulic fluid at a moderate cost.

Product Description	6/1 gal	1/5 gal	55 gal drum	Bulk
Coastal® Multitrac Tractor Hydraulic Fluid	45905	42909	45912	45900
Coastal® 303 Tractor Fluid Hydraulic Fluid	45605	45609	45612	45600

ITASCA® Outdoors Chain Saw Bar Lubricant
is a superior lubricant designed especially for lubrication
of bar and chains on chain saws and open and closed
chains on motorcycles, snowmobiles and lawn
and garden equipment.

Product Description	12/1 qt	6/1 gal	55 gal drum
ITASCA® Chain Saw Bar Lubricant	702278	702277	702279



Warren Unilube, Inc.
An affiliate of
Warren Oil Company, Inc.
www.warrenunilube.com

GEAR OILS

Coastal® Premium Automotive Gear Oils are manufactured from high quality base oils and additives to provide excellent load carrying ability, extreme pressure (EP) properties, wear resistance, oxidation stability and protection against rust and corrosion. They are recommended for make-up and complete refill of all passenger car and light truck conventional differentials, transmissions, steering gears, and for top-off of limited slip differentials.

Product Description	12/1 qt	6/1 gal	1/35 gal	1/120 lb	1/400 lb
Coastal® EP 90 GL-4	-	13005	13009	13018	
Coastal® EP 140 GL-4	-	12905	12909	-	-
Coastal® 75W-90 GL-5	15901		-		
Coastal® SYN BLEND 75W-90	17101	-)	17117	17118	17119
Coastal® 80W-90 GL-5	12401	12405	12217	12218	12219
Coastal® 85W-140 GL-5	12301	12305	12317	12318	12319



World Class Lubricant

GREASES

Coastal® All Purpose Grease is an NLGI #2 grease ideally suited for use as a multi-purpose grease under normal temperature/speed conditions that do not require extreme pressure additives.

Product Description	12/3/3 oz	12/1 lb	50/14 oz	1/35 lb	1/120 lb	1/400 lb
Coastal® A-P Grease Card	52575	-	(+)	(=)	- 1	-
Coastal® A-P Grease		52553	52513	52517	52518	52519

Coastal® Multi-Purpose EP Grease is an NLGI #2 grease containing Extreme Pressure (EP) additives designed to handle severe lubrication requirements such as those characterized by high bearing and shock loads.

Product Description	12/1 lb	6/4 lb	50/14 oz	1/35 lb	1/120 lb	1/400 lb
Coastal® MP EP 2 Grease	-	-	52613	52617	52618	52619
Coastal® Hi-Temp Grease	-	*	52713	52717	52718	52719
Coastal® Uniplex Hi-Temp	52153	52164	52113	-	-	-

Coastal® Industrial Moly EP Grease is an NLGI #2 grease containing molybdenum disulfide for additional protection against wear and polyethylene for superior film strength.

Product Description	12/1 lb	50/14 oz	1/120 lb	1/400 lb
Coastal® Ind Moly Grease	52353	52313	52318	-



Warren Unilube, Inc.

An affiliate of Warren Oil Company, Inc. www.warrenunilube.com 1-800-428-9284