

Specifications



Eaton TR274W

Eaton commercial grade combination switch, tamp resist, auto-grnd, neon pilot, Stand, #14 - #12 AWG, 15A, Commer, 120V switch, 125V recept, bk and sd wiring, togg, Maint closure, Screw, Brass, wht, 5-15R, -20-60°C, dplx, thermoplas, PVC

General specifications

PRODUCT NAME	Eaton commercial grade combination switch
CATALOG NUMBER	TR274W
UPC	032664750267
PRODUCT LENGTH/DEPTH	1.3 in
PRODUCT HEIGHT	4.19 in
PRODUCT WIDTH	1.08 in
PRODUCT WEIGHT	0.242 lb
COMPLIANCES	RoHS Compliant
CERTIFICATIONS	cULus Listed NOM

Product specifications	
NEMA RATING	5-15R
SPECIAL FEATURES	Tamper resistant, auto-ground
TYPE	Standard
AMPERAGE RATING	15A
VOLTAGE RATING	120V switch, 125V receptacle
NEMA CONFIGURATION	5-15R
NUMBER OF POLES	Single-pole
CONFIGURATION	Toggle switch Receptacle
ILLUMINATION	Neon pilot
APPLICATION	Commercial
DEVICE GRADE	Commercial
WIRING METHOD	Back and side
CONTACT TYPE	Brass
SWITCH TYPE	Single-pole
MOUNTING METHOD	Flush
CLOSURE TYPE	Maintained
CONNECTOR TYPE	Screw
MATERIAL	PVC Thermoplastic
ALLOWABLE WIRE SIZE	#14-12 AWG
OPERATING TEMPERATURE	-20 to 60 °C
TORQUE RATING	12-14 lbf-inch
STYLE TYPE	Duplex
ACTUATOR	Toggle
COLOR	White

Resources	
SPECIFICATIONS AND DATASHEETS	Combination devices instruction sheet
	Eaton Specification Sheet - TR274W

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

